MEDIUM-FLOW BACK PRESSURE REGULATOR



• Gas • Liquid

Diaphragm Piston

Max Rating: 10 bar (145 psi)

Max Inlet Control: 10 bar (145 psi)

Cv 3.0



INTRODUCING THE BP-MF400...

The BP-MF400 is a diaphragm-sensed medium-flow back pressure regulator for gas or liquid applications. The liquid version includes a PEEK™ seat, whilst the gas version features PCTFE seating.

This accurate regulator controls inlet pressure and vents excess pressure back via the threaded NPT or BSP outlet port of up to 1" diameter.

SPECIFICATION

Max. Rating	10 bar (145 psi)
Max. Inlet Control	Up to 10 bar (145 psi)
Design Proof Pressure	150% max. working pressure
Seat Leakage	In accordance with ANSI/FCI 70-3
Weight	5.5kg (12.1lbs)

STANDARD MATERIALS OF CONSTRUCTION

PART	MATERIALS
Body and Bonnet	AISI 316 / 316L Stainless Steel
Body and Bonnet	(UNS S31600 / S31603)
Main Valve Pin	AISI 316 / 316L Stainless Steel
Ivialii valve Fili	(UNS S31600 / S31603)
Seat	PEEK™ or PCTFE
Valve Spring	AISI 302 Stainless Steel (UNS S30200)
Diaphragm	NBR
Handwheel	Nylon
(O) Div O I-	NBR
'O'-Ring Seals	FKM / FPM
Loading Spring	Alloy Spring Steel

FEATURES AND BENEFITS

ELASTOMERIC DIAPHRAGM

> For accurate control of outlet pressures up to 10 bar (145 psi).

EASY ACCESS TO SEAT CARTRIDGE

> Simplified servicing through base of regulator.

FLANGE-TYPE BONNET

> Quick and easy removal for maintenance.

Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements





PRESSURE TECH LTD

Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH

T +44 (0)1457 899 307

E info@pressure-tech.com

W www.pressure-tech.com

MEDIUM-FLOW BACK PRESSURE REGULATOR



• Gas • Liquid


• Diaphragm • Piston

Max Rating: 10 bar (145 psi)

Max Inlet Control: 10 bar (145 psi)

Cv 3.0

DRAWINGS AND INSTALLATION DIMENSIONS



Note:

All gauge ports are 1/4" NPT as standard.

Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements.





PRESSURE TECH LTD

Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH

T +44 (0)1457 899 307

E info@pressure-tech.com

W www.pressure-tech.com



MEDIUM-FLOW BACK PRESSURE REGULATOR



• Gas • Liquid

• Diaphragm • Piston

Max Rating: 10 bar (145 psi)


Max Inlet Control: 10 bar (145 psi)

Cv 3.0

FLOW CURVE

Please contact the office for further information.

PORTING CONFIGURATIONS



Note:

Additional porting configurations are available - please contact the office for further information.

Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements.





MEDIUM-FLOW BACK PRESSURE REGULATOR



• Gas • Liquid

DiaphragmPiston


Max Rating: 10 bar (145 psi)

Max Inlet Control: 10 bar (145 psi)

Cv 3.0

ORDERING INFORMATION

To build a Pressure Tech part number, simply combine the characters identified below in sequence:



	PART NUMBER	DESCRIPTION	
Service Kit	SRK-BP-MF400	Various options available	
anel Mounting Ring	PT-C-061-006-RING	Stainless Steel panel mount ring	

TRADEMARK: PEEK™ is a trademark of Victrex PLC

Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements





PRESSURE TECH LTD

Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH

T +44 (0)1457 899 307

E info@pressure-tech.com

W www.pressure-tech.com



Where applicable

 $^{^{\}star\star}$ Other materials/connections may be available - please contact the office